



**STYLE<sup>®</sup> EXPRESS**  
Seating On Demand 

*is a division of Style Ergonomics Australia Pty Ltd*

# CATALOGUE 2024-2025

Effective on 01/07/2024

NSW | VIC | QLD | WA | HONG KONG | CHINA



**Warranty period for  
chairs and lounges**



**Fully imported Chairs, lounges,  
parts and components.**



**Weight rating for individual  
chairs and lounges\***



**The Performance criteria adopted for  
certification by Furntech is based on  
Australian standards, e.g. Level 6 - Severe  
commercial and heavy industrial.\***

*\*Weight limits are self-rated by Style Ergonomic Australia.  
AFRDI approved chairs are normally rated to 110kg.*



**AFRDI rating for multi shift use  
and 160kg weight limit.**



**BIFMA is a third-party certification  
program that provides manufacturers  
with valuable feedback for evaluating  
the environmental, human, and social  
impacts of their furniture products for  
manufacturing, facility, and organisation.**



**Furntech is an independent not-for-profit  
technical organisation providing standards,  
testing product certification and research  
for buyers and sellers of furniture.**



**All instructions of use are instructed  
while sitting in the chair.**

# CONTENTS

## R1 - TASK MESH SEATING

|                   |    |
|-------------------|----|
| Intro range ..... | 4  |
| Yarra range ..... | 6  |
| Rio range.....    | 8  |
| Hino range .....  | 10 |
| Fuse range .....  | 12 |
| Brent range ..... | 14 |

## R2 - TASK SEATING

|                    |    |
|--------------------|----|
| P350 range .....   | 16 |
| Aqua range .....   | 18 |
| TR600 range.....   | 20 |
| Spot range.....    | 22 |
| Newton range ..... | 24 |

## R3 - BOARDROOM SEATING

|                  |    |
|------------------|----|
| Trent range..... | 26 |
| Dela range ..... | 28 |
| Gala range ..... | 30 |
| Web range .....  | 32 |
| Volt range ..... | 34 |

## R4 - MULTI SHIFT SEATING

|                    |    |
|--------------------|----|
| Rover range.....   | 36 |
| Oyster range ..... | 38 |
| Ranger range.....  | 40 |
| Impact range ..... | 42 |
| Raptor range.....  | 44 |
| Corsa range.....   | 46 |
| Stanza range.....  | 48 |

## R5 - EXECUTIVE MESH SEATING

|                    |    |
|--------------------|----|
| Gibbs range .....  | 50 |
| Draft range .....  | 52 |
| Bolt range .....   | 54 |
| Miami range.....   | 56 |
| Bragg range .....  | 58 |
| Kube range.....    | 60 |
| Razor range .....  | 62 |
| Mitz range .....   | 64 |
| Ivory range .....  | 66 |
| Baxter range ..... | 68 |
| Evita range .....  | 70 |
| Zodiac range ..... | 72 |
| Ergo-1 range.....  | 74 |

## R6 - EXECUTIVE SEATING

|                    |    |
|--------------------|----|
| Hilton range.....  | 76 |
| Cruz range .....   | 78 |
| Boston range.....  | 80 |
| Camry range .....  | 82 |
| Siena range .....  | 84 |
| Select range.....  | 86 |
| Magnum range ..... | 88 |
| Captain range..... | 90 |

## R7 - HOSPITALITY SEATING

|                  |    |
|------------------|----|
| Focus range..... | 92 |
| Aria range ..... | 94 |
| Pod range .....  | 95 |
| Vinn range ..... | 96 |
| Neo range .....  | 98 |
| Rose range.....  | 99 |

## R8 - BREAKOUT SEATING

|                   |     |
|-------------------|-----|
| Raven range.....  | 100 |
| Mia range.....    | 101 |
| Tonic range ..... | 102 |
| Oscar range ..... | 103 |
| Ram range .....   | 104 |
| Nox range .....   | 105 |

## R9 - SOFT SEATING

|                   |     |
|-------------------|-----|
| Blitz range.....  | 106 |
| Rivet range ..... | 107 |
| Jaden range ..... | 108 |
| Plaza range.....  | 109 |

## R10 - INDUSTRIAL STOOLS

|                   |     |
|-------------------|-----|
| State range ..... | 110 |
| Cad range .....   | 112 |
| Stage range.....  | 113 |

# INTRO RANGE

## INSTRUCTION OF USE

INDOOR USE ONLY


### LEVER

Twist to adjust seat height  
Pull to adjust seat and back angle



### FRONT KNOB

To adjust weight tension



## 600MM BLACK NYLON 5 STAR BASE WITH CASTORS

Use soft tyred castors for tiles  
Use hard tyred castors for carpet

**✗** Do not use as a step ladder

## DIMENSIONS: (mm)

### BACK

W: 490  
H: 430

### BACK TO FLOOR

Lowest: 910  
Highest: 1005

### SEAT

W: 490  
D: 480

### SEAT TO FLOOR

Lowest: 480  
Highest: 575

### ARM TO FLOOR

Lowest: 625  
Highest: 720



INTRO-BLACK



Side view



Back view

#### Features:

Adjustable seat height

Adjustable seat and back angle

Adjustable weight tension

Fixed arms

Butterfly mechanism

600mm black nylon 5 star base


Available in black only  
Suitable for indoor use only



# YARRA RANGE

## INSTRUCTION OF USE

INDOOR USE ONLY



**✗** Do not use as a step ladder

## DIMENSIONS: (mm)

| BACK   | BACK TO FLOOR |
|--------|---------------|
| W: 490 | Lowest: 950   |
| H: 510 | Highest: 1050 |

| SEAT   | SEAT TO FLOOR |
|--------|---------------|
| W: 500 | Lowest: 470   |
| D: 515 | Highest: 570  |

| ARM TO FLOOR |
|--------------|
| Lowest: 620  |
| Highest: 720 |



YARRA



Side view



Back view

## Features:

Adjustable seat height

Adjustable back height

Adjustable seat and back angle

Adjustable weight tension

Fixed arms

3 lever ergonomic mechanism

600mm black nylon 5 star base


Available in black only

Suitable for indoor use only



# RIO RANGE

## INSTRUCTION OF USE



## DIMENSIONS: (mm)

|                 |                          |
|-----------------|--------------------------|
| <b>LOW BACK</b> | <b>LOW BACK TO FLOOR</b> |
| W: 430          | Lowest: 925              |
| H: 450          | Highest: 1120            |

|                  |                           |
|------------------|---------------------------|
| <b>HIGH BACK</b> | <b>HIGH BACK TO FLOOR</b> |
| W: 455           | Lowest: 1010              |
| H: 530           | Highest: 1210             |

|             |                      |
|-------------|----------------------|
| <b>SEAT</b> | <b>SEAT TO FLOOR</b> |
| W: 500      | Lowest: 485          |
| D: 460      | Highest: 625         |

|                     |
|---------------------|
| <b>ARM TO FLOOR</b> |
| Lowest: 630         |
| Highest: 840        |



RIO-H



RIO-HC



RIO-L

RIO-LC

## Features:

Adjustable seat height

Adjustable back height (ratchet)

Adjustable seat and back angle

Moulded seat foam

Java seat

3 lever ergonomic mechanism

600mm black nylon 5 star base

Available in Metro black only

AFRDI tested to level 6

Suitable for indoor use only



Optional drafting kit

# HINO RANGE

## INSTRUCTION OF USE

To adjust back height hold back with two hands while seated and raise to desired height

To lower the back height raise back all the way to the top and release slowly

### **RIGHT BACK LEVER**

To adjust back angle

### **RIGHT MIDDLE LEVER**


To adjust seat angle

### **RIGHT FRONT LEVER**

To adjust seat height

### **700MM BLACK NYLON 5 STAR BASE WITH CASTORS**

Use soft tyred castors for tiles  
Use hard tyred castors for carpet



**✗** Do not use as a step ladder

### DIMENSIONS: (mm)

#### **BACK**

W: 450

H: 530

#### **BACK TO FLOOR**

Lowest: 1025

Highest: 1150

#### **SEAT**

W: 560

D: 510

#### **SEAT TO FLOOR**

Lowest: 520

Highest: 600

#### **ARM TO FLOOR**

Lowest: 665

Highest: 830



HINO



HINO-C



Back view

## Features:

- Adjustable seat height
- Adjustable back height (ratchet)
- Adjustable seat and back angle
- Adjustable weight tension

- Moulded seat foam
- Mega big boy seat
- 3 lever heavy duty ergonomic mechanism
- 700mm black nylon 5 star base

Available in Metro black only  
AFRDI tested to level 6  
Suitable for indoor use only



# FUSE RANGE

## INSTRUCTION OF USE

To adjust back height hold back with two hands while seated and raise to desired height

To lower the back height raise back all the way to the top and release slowly

### **RIGHT BACK LEVER**

To adjust back angle

### **RIGHT MIDDLE LEVER**


To adjust seat angle

### **RIGHT FRONT LEVER**

To adjust seat height

### **700MM BLACK NYLON 5 STAR BASE WITH CASTORS**

Use soft tyred castors for tiles  
Use hard tyred castors for carpet



**X** Do not use as a step ladder

## DIMENSIONS: (mm)

### **BACK**

W: 490  
H: 465

### **BACK TO FLOOR**

Lowest: 1070  
Highest: 1225

### **SEAT**

W: 530  
D: 465

### **SEAT TO FLOOR**

Lowest: 535  
Highest: 615

### **ARM TO FLOOR**

Lowest: 685  
Highest: 830



FUSE



FUSE-C



## Features:

Adjustable seat height  
Adjustable back height (ratchet)  
Adjustable back and seat angle  
Adjustable weight tension

Adjustable seat depth (build-in seat slider)  
Moulded seat foam  
Big boy seat  
3 lever ergonomic heavy duty mechanism

700mm black nylon 5 star base  
Available in Metro black only  
AFRDI tested to level 6  
Suitable for indoor use only



# BRENT RANGE

## INSTRUCTION OF USE

To adjust back height hold back with two hands while seated and raise to desired height

To lower the back height raise back all the way to the top and release slowly

### **RIGHT BACK LEVER**

To adjust back angle

### **RIGHT MIDDLE LEVER**

To adjust seat angle


### **RIGHT FRONT LEVER**

To adjust seat height

### **700MM BLACK NYLON 5 STAR BASE WITH CASTORS**

Use soft tyred castors for tiles  
Use hard tyred castors for carpet

**INDOOR USE ONLY**



### DIMENSIONS: (mm)

#### **BACK**

W: 490

H: 525

#### **BACK TO FLOOR**

Lowest: 1055

Highest: 1210

#### **SEAT**

W: 530

D: 465

#### **SEAT TO FLOOR**

Lowest: 535

Highest: 615

#### **ARM TO FLOOR**

Lowest: 685

Highest: 830



BRENT



BRENT-C



Back view

## Features:

Adjustable seat height  
Adjustable back height (ratchet)  
Adjustable back and seat angle  
Adjustable weight tension  
Adjustable seat depth (build-in seat slider)


Adjustable lumbar support  
Moulded seat foam  
Big boy seat  
3 lever ergonomic heavy duty mechanism

700mm black nylon 5 star base  
Available in Metro black only  
AFRDI tested to level 6  
Suitable for indoor use only



# P350 RANGE

## INSTRUCTION OF USE



**✗** Do not use as a step ladder

## DIMENSIONS: (mm)

| LOW BACK | LOW BACK TO FLOOR |
|----------|-------------------|
| W: 440   | Lowest: 860       |
| H: 400   | Highest: 1045     |

| HIGH BACK | HIGH BACK TO FLOOR |
|-----------|--------------------|
| W: 450    | Lowest: 950        |
| H: 510    | Highest: 1150      |

| SEAT   | SEAT TO FLOOR |
|--------|---------------|
| W: 500 | Lowest: 480   |
| D: 460 | Highest: 625  |

| ARM TO FLOOR |
|--------------|
| Lowest: 630  |
| Highest: 840 |



P350H-MB



P350HC-MB



P350-MB

P350C-MB

## Features:

Adjustable seat height

Adjustable back height

Adjustable seat and back angle

Moulded seat and back foam

Java seat

3 lever ergonomic mechanism

600mm black nylon 5 star base

Available in Metro black only

AFRDI tested to level 6


Suitable for indoor use only



Optional drafting kit

# AQUA RANGE

## INSTRUCTION OF USE



**✗** Do not use as a step ladder

## DIMENSIONS: (mm)

|                 |                          |
|-----------------|--------------------------|
| <b>LOW BACK</b> | <b>LOW BACK TO FLOOR</b> |
| W: 460          | Lowest: 850              |
| H: 440          | Highest: 1060            |

|                  |                           |
|------------------|---------------------------|
| <b>HIGH BACK</b> | <b>HIGH BACK TO FLOOR</b> |
| W: 470           | Lowest: 950               |
| H: 540           | Highest: 1170             |

|             |                      |
|-------------|----------------------|
| <b>SEAT</b> | <b>SEAT TO FLOOR</b> |
| W: 500      | Lowest: 485          |
| D: 460      | Highest: 625         |


|                     |
|---------------------|
| <b>ARM TO FLOOR</b> |
| Lowest: 630         |
| Highest: 840        |



AQUA-H



AQUA-HC



## Features:

Adjustable seat height  
Adjustable back height (ratchet)  
Adjustable seat and back angle  
Moulded seat and back foam  
Java seat

3 lever ergonomic mechanism  
600mm black nylon 5 star base  
Available in Metro black only  
AFRDI tested to level 6  
Suitable for indoor use only



Optional drafting kit

# TR600 RANGE

## INSTRUCTION OF USE

To adjust back height hold back with two hands while seated and raise to desired height

To lower the back height raise back all the way to the top and release slowly

### **RIGHT BACK LEVER**

To adjust back angle

### **RIGHT MIDDLE LEVER**

To adjust seat angle


### **RIGHT FRONT LEVER**

To adjust seat height

### **700MM BLACK NYLON 5 STAR BASE WITH CASTORS**

Use soft tyred castors for tiles  
Use hard tyred castors for carpet

**INDOOR USE ONLY**



**✗** Do not use as a step ladder

### DIMENSIONS: (mm)

#### **BACK**

W: 490

H: 580

#### **BACK TO FLOOR**

Lowest: 1080

Highest: 1240

#### **SEAT**

W: 560

D: 510

#### **SEAT TO FLOOR**

Lowest: 520

Highest: 600

#### **ARM TO FLOOR**

Lowest: 665

Highest: 830



TR600



TR600-C



Back view

#### Features:

Adjustable seat height

Adjustable back height (ratchet)

Adjustable seat and back angle

Adjustable weight tension

Moulded seat and back foam

Mega big boy seat

3 lever heavy duty ergonomic mechanism

700mm black nylon 5 star base



Available in Metro black only

AFRDI tested to level 6

Suitable for indoor use only

# SPOT RANGE

## INSTRUCTION OF USE

To adjust back height hold back with two hands while seated and raise to desired height

To lower the back height raise back all the way to the top and release slowly

### **RIGHT BACK LEVER**

To adjust back angle

### **RIGHT MIDDLE LEVER**

To adjust seat angle


### **RIGHT FRONT LEVER**

To adjust seat height

### **700MM BLACK NYLON 5 STAR BASE WITH CASTORS**

Use soft tyred castors for tiles  
Use hard tyred castors for carpet

**INDOOR USE ONLY**



### DIMENSIONS: (mm)

#### **BACK**

W: 460

H: 560

#### **BACK TO FLOOR**

Lowest: 1025

Highest: 1165

#### **SEAT**

W: 560

D: 510

#### **SEAT TO FLOOR**

Lowest: 520

Highest: 600

#### **ARM TO FLOOR**

Lowest: 665

Highest: 830



SPOT



SPOT-C



Back view

#### Features:

Adjustable seat height  
Adjustable back height (ratchet)  
Adjustable seat and back angle  
Adjustable weight tension

Moulded seat and back foam  
Mega big boy seat  
3 lever heavy duty ergonomic mechanism  
700mm black nylon 5 star base

Available in Metro black only  
AFRDI tested to level 6  
Suitable for indoor use only



# NEWTON RANGE

## INSTRUCTION OF USE

To adjust back height hold back with two hands while seated and raise to desired height

To lower the back height raise back all the way to the top and release slowly

### **RIGHT BACK LEVER**

To adjust back angle

### **RIGHT MIDDLE LEVER**

To adjust seat angle


### **RIGHT FRONT LEVER**

To adjust seat height

### **700MM BLACK NYLON 5 STAR BASE WITH CASTORS**

Use soft tyred castors for tiles  
Use hard tyred castors for carpet

**INDOOR USE ONLY**



**✗** Do not use as a step ladder

## DIMENSIONS: (mm)

### **BACK**

W: 500

H: 550

### **BACK TO FLOOR**

Lowest: 1045

Highest: 1200

### **SEAT**

W: 560

D: 510

### **SEAT TO FLOOR**

Lowest: 520

Highest: 600

### **ARM TO FLOOR**

Lowest: 665

Highest: 830



NEWTON



NEWTON-C



Back view

#### Features:

Adjustable seat height  
Adjustable back height (ratchet)  
Adjustable seat and back angle  
Adjustable weight tension

Moulded seat and back foam  
Mega big boy seat  
3 lever heavy duty ergonomic mechanism  
700mm black nylon 5 star base

Available in Metro black only  
AFRDI tested to level 6  
Suitable for indoor use only



# TRENT RANGE

## INSTRUCTION OF USE

INDOOR USE ONLY



Twist to adjust seat height

Pull to adjust seat and back angle

**630MM BLACK NYLON 5 STAR BASE  
WITH CASTORS**

Use soft tyred castors for tiles  
Use hard tyred castors for carpet

**ADJUSTABLE ARMS**

**FRONT KNOB**

To adjust weight tension

**✗** Do not use as a step ladder

## DIMENSIONS: (mm)

### BACK

W: 475

H: 500

### BACK TO FLOOR

Lowest: 940

Highest: 1035

### SEAT

W: 500

D: 490

### SEAT TO FLOOR

Lowest: 460

Highest: 555

### ARM TO FLOOR

Lowest: 635

Highest: 795



TRENT



Side view



Back view

#### Features:

Adjustable seat height

Adjustable seat and back angle

Adjustable weight tension

Adjustable arms

Butterfly mechanism

630mm black nylon 5 star base

Available in black only


Suitable for indoor use only



# DELA RANGE

## INSTRUCTION OF USE

INDOOR USE ONLY



**X** Do not use as a step ladder

### DIMENSIONS: (mm)

**BACK**  
W: 485  
H: 570

**BACK TO FLOOR**  
Lowest: 990  
Highest: 1090

**SEAT**  
W: 510  
D: 480

**SEAT TO FLOOR**  
Lowest: 450  
Highest: 550

**ARM TO FLOOR**  
Lowest: 660  
Highest: 760



DELA



Side view



Back view

#### Features:

Adjustable seat height

Adjustable seat and back angle

Adjustable weight tension

Lumbar support

Knee tilt mechanism with 3 locking positions

620mm black nylon 5 star base

Available in black only


Suitable for indoor use only



# GALA RANGE

## INSTRUCTION OF USE

INDOOR USE ONLY



**X** Do not use as a step ladder

### DIMENSIONS: (mm)

**BACK**  
W: 500  
H: 510

**BACK TO FLOOR**  
Lowest: 960  
Highest: 1030

**SEAT**  
W: 505  
D: 480

**SEAT TO FLOOR**  
Lowest: 460  
Highest: 530

**ARM TO FLOOR**  
Lowest: 680  
Highest: 750



GALA



Side view



Back view

#### Features:

Adjustable seat height

Adjustable seat and back angle

Adjustable weight tension

Knee tilt mechanism with 3 locking positions

660mm black nylon 5 star base

Available in black only

Suitable for indoor use only



# WEB RANGE

## INSTRUCTION OF USE

INDOOR USE ONLY



**X** Do not use as a step ladder

### DIMENSIONS: (mm)

#### BACK

W: 445  
H: 460

#### BACK TO FLOOR

Lowest: 940  
Highest: 1000

#### SEAT

W: 510  
D: 440

#### SEAT TO FLOOR

Lowest: 475  
Highest: 535

#### ARM TO FLOOR

Lowest: 695  
Highest: 755



WEB-LB



Side view



Back view

## Features:

Adjustable seat height

Adjustable seat and back angle

Adjustable weight tension

Knee tilt mechanism with 3 locking positions

700mm aluminium 5 star base

Available in black PU only


Suitable for indoor use only



# VOLT RANGE

## INSTRUCTION OF USE

INDOOR USE ONLY



### RIGHT KNOB

To adjust weight tension

### INNER RIGHT LEVER

To adjust seat height

### LEFT LEVER

To adjust seat and back angle

### 660MM HEAVY DUTY BLACK ALUMINIUM 5 STAR BASE WITH CASTORS

Use soft tyred castors for tiles  
Use hard tyred castors for carpet

**X** Do not use as a step ladder

## DIMENSIONS: (mm)

### BACK

W: 530  
H: 480

### BACK TO FLOOR

Lowest: 940  
Highest: 990

### SEAT

W: 500  
D: 450

### SEAT TO FLOOR

Lowest: 460  
Highest: 510

### ARM TO FLOOR

Lowest: 690  
Highest: 740



VOLT-TE



VOLT-TA



VOLT-BL

## Features:

Adjustable seat height  
Adjustable seat and back angle  
Adjustable weight tension  
Black powder coated frame

Knee tilt mechanism with 3 locking positions  
660mm heavy duty black aluminium base  
Available in terracotta, tan and black PU only  
Suitable for indoor use only



130  
Kilogram



## COLOUR



TE-  
TERRACOTTA



TA-TAN



BL-BLACK

# ROVER RANGE

## INSTRUCTION OF USE

To adjust back height hold back with two hands while seated and raise to desired height

To lower the back height raise back all the way to the top and release slowly

**RIGHT FOURTH LEVER**  
To adjust back angle

**RIGHT THIRD LEVER**  
To adjust seat angle

**RIGHT SECOND LEVER**  
To adjust seat height

**RIGHT FRONT LEVER**  
To adjust seat front angle

**700MM BLACK NYLON  
5 STAR BASE WITH CASTORS**

Use soft tyred castors for tiles  
Use hard tyred castors for carpet



**INDOOR USE ONLY**

**✗** Do not use as a step ladder

## DIMENSIONS: (mm)

### BACK

W: 500  
H: 630

### BACK TO FLOOR

Lowest: 1095  
Highest: 1260

### SEAT

W: 510  
D: 520

### SEAT TO FLOOR

Lowest: 480  
Highest: 570

### ARM TO FLOOR

Lowest: 640  
Highest: 790



ROVER-1HA



Side view



Back view

#### Features:

Adjustable seat height  
Adjustable back height (ratchet)  
Adjustable seat and back angle  
Adjustable weight tension

Adjustable arms  
Moulded seat and back foam  
4 lever ergonomic mechanism

700mm black nylon 5 star base  
Available in black leather only  
Suitable for indoor use only



# OYSTER RANGE

## INSTRUCTION OF USE

To adjust back height hold back with two hands while seated and raise to desired height

To lower the back height raise back all the way to the top and release slowly (LOW BACK ONLY)

**RIGHT BACK KNOB**  
To adjust seat depth (seat slider)

**RIGHT BACK LEVER**  
To adjust back angle

**RIGHT MIDDLE LEVER**  
To adjust seat angle

**RIGHT FRONT LEVER**  
To adjust seat height

**700MM ALUMINIUM 5 STAR BASE  
WITH CASTORS**

Use soft tyred castors for tiles  
Use hard tyred castors for carpet



**INDOOR USE ONLY**

## DIMENSIONS: (mm)

| LOW BACK | BACK TO FLOOR |
|----------|---------------|
| W: 500   | Lowest: 910   |
| H: 500   | Highest: 1045 |

| MEDIUM BACK | BACK TO FLOOR |
|-------------|---------------|
| W: 500      | Lowest: 1040  |
| H: 660      | Highest: 1130 |

| HEADREST | HIGH BACK TO FLOOR |
|----------|--------------------|
| W: 345   | Lowest: 1180       |
| H: 170   | Highest: 1360      |

| SEAT   | SEAT TO FLOOR | ARM TO FLOOR |
|--------|---------------|--------------|
| W: 500 | Lowest: 480   | Lowest: 660  |
| D: 470 | Highest: 570  | Highest: 810 |

\*Please note that the Headrest should not be used to manoeuvre the chair.



OYEX1-H



OYEX1-M



OYEX1-L

## Features:

Adjustable seat height  
Adjustable back height (ratchet)  
(Available in low back only)  
Adjustable seat and back angle


Adjustable seat depth (seat slider)  
Adjustable arms  
Moulded seat foam  
4 lever ergonomic mechanism

700mm aluminium 5 star base  
Available in black only  
Suitable for indoor use only



# RANGER RANGE

## INSTRUCTION OF USE



**X** Do not use as a step ladder

## DIMENSIONS: (mm)

### BACK WITH HEADREST

W: 475  
H: 720

HEADREST TO FLOOR  
Lowest: 1230  
Highest: 1350

SEAT  
W: 515  
D: 540

SEAT TO FLOOR  
Lowest: 525  
Highest: 645

ARM TO FLOOR  
Lowest: 700  
Highest: 920

\*Please note that the Headrest should not be used to manoeuvre the chair.



RANGER



Side view



Back view

## Features:

- Adjustable seat height
- Adjustable seat and back angle
- Forward seat tilt adjustment
- Adjustable seat depth (seat slider)
- Adjustable weight tension
- Adjustable arms

- Adjustable headrest
- Moulded seat and back foam
- Saddle seat
- Synchron mechanism with 3 locking positions
- 720mm aluminium 5 star base


- Brake castors
- Available in black and grey only
- AFRDI tested to level 6
- AFRDI tested to multi shift use 160kg
- Suitable for indoor use only



# IMPACT RANGE

## INSTRUCTION OF USE

INDOOR USE ONLY



## DIMENSIONS: (mm)

| BACK   | BACK TO FLOOR |
|--------|---------------|
| W: 475 | Lowest: 1060  |
| H: 615 | Highest: 1180 |

| HEADREST | HEADREST TO FLOOR |
|----------|-------------------|
| W: 260   | Lowest: 1240      |
| H: 180   | Highest: 1360     |

| SEAT   | SEAT TO FLOOR |
|--------|---------------|
| W: 540 | Lowest: 505   |
| D: 490 | Highest: 625  |

| ARM TO FLOOR |
|--------------|
| Lowest: 675  |
| Highest: 875 |

\*Please note that the Headrest should not be used to manoeuvre the chair.



IMPACT-H



IMPACT-L



Back view

## Features:

- Adjustable seat height
- Adjustable seat and back angle
- Forward seat tilt adjustment
- Adjustable seat depth (seat slider)
- Adjustable weight tension


- Adjustable lumbar support
- Adjustable arms
- Moulded seat and back foam
- Saddle seat
- Synchron mechanism with 3 locking positions

- 720mm aluminium 5 star base
- Brake castors
- Available in black fabric only
- AFRDI tested to level 6
- Suitable for indoor use only



# RAPTOR RANGE

## INSTRUCTION OF USE



### 5 STAR BASE WITH BRAKE CASTORS

Use soft tyred castors for tiles  
Use hard tyred castors for carpet

**✗** Do not use as a step ladder

### DIMENSIONS: (mm)

|             |                      |
|-------------|----------------------|
| <b>BACK</b> | <b>BACK TO FLOOR</b> |
| W: 475      | Lowest: 1060         |
| H: 615      | Highest: 1160        |

|                 |                          |
|-----------------|--------------------------|
| <b>HEADREST</b> | <b>HEADREST TO FLOOR</b> |
| W: 265          | Lowest: 1195             |
| H: 170          | Highest: 1340            |

|             |                      |
|-------------|----------------------|
| <b>SEAT</b> | <b>SEAT TO FLOOR</b> |
| W: 540      | Lowest: 500          |
| D: 490      | Highest: 600         |

|                     |
|---------------------|
| <b>ARM TO FLOOR</b> |
| Lowest: 680         |
| Highest: 860        |

\*Please note that the Headrest should not be used to manoeuvre the chair.



RAPTOR-H



RAPTOR-L

### Features:

- Adjustable seat height
- Adjustable seat and back angle
- Adjustable seat depth (seat slider)
- Adjustable weight tension
- Adjustable lumbar support

- Adjustable headrest
- Adjustable arms
- Moulded seat and back foam
- Saddle seat
- Synchron mechanism with 3 locking positions


- 720mm aluminum 5 star base
- Brake castors
- Available in black leather only
- AFRDI tested to level 6
- Suitable for indoor use only



# CORSA RANGE

## INSTRUCTION OF USE

INDOOR USE ONLY



### 750MM BLACK ALUMINUM 6 STAR BASE WITH BRAKE CASTORS

Use soft tyred castors for tiles  
Use hard tyred castors for carpet

**✗** Do not use as a step ladder

### DIMENSIONS: (mm)

| BACK   | BACK TO FLOOR |
|--------|---------------|
| W: 540 | Lowest: 1110  |
| H: 695 | Highest: 1200 |

| HEADREST |
|----------|
| W: 270   |
| H: 165   |

| HEADREST TO FLOOR |
|-------------------|
| Lowest: 1290      |
| Highest: 1380     |

| SEAT   |
|--------|
| W: 535 |
| D: 460 |

| SEAT TO FLOOR |
|---------------|
| Lowest: 525   |
| Highest: 615  |

| ARM TO FLOOR |
|--------------|
| Lowest: 730  |
| Highest: 820 |

\* Please note that the Headrest should not be used to manoeuvre the chair.



CORSA



Side view



Back view

#### Features:

Adjustable seat height  
Adjustable seat and back angle  
Adjustable seat depth (seat slider)  
Adjustable weight tension  
Adjustable headrest

Lockable incline, fold-back armrests  
Moulded seat and back foam  
Saddle seat  
Synchron mechanism with 3 locking positions  
750mm black aluminum 6 star base

Brake castors  
Available in black leather only  
Suitable for indoor use only



\* Style rated multi shift use 200KG

# STANZA RANGE

## INSTRUCTION OF USE

INDOOR USE ONLY

### KNOB ON THE BACK

To adjust back angle

### INNER RIGHT LEVER


To adjust seat height

### RIGHT KNOB

To adjust weight tension

### 750MM BLACK 6 STAR BASE WITH BRAKE CASTORS

Use soft tyred castors for tiles  
Use hard tyred castors for carpet



**X** Do not use as a step ladder

## DIMENSIONS: (mm)

| BACK   | BACK TO FLOOR |
|--------|---------------|
| W: 550 | Lowest: 1090  |
| H: 590 | Highest: 1180 |

| HEADREST |
|----------|
| W: 260   |
| H: 200   |

| HEADREST TO FLOOR |
|-------------------|
| Lowest: 1275      |
| Highest: 1375     |

| SEAT   | SEAT TO FLOOR |
|--------|---------------|
| W: 610 | Lowest: 500   |
| D: 410 | Highest: 600  |

| ARM TO FLOOR |
|--------------|
| Lowest: 735  |
| Highest: 835 |

\* Please note that the Headrest should not be used to manoeuvre the chair.



STANZA



Side view



Back view

#### Features:

- Adjustable seat height
- Adjustable seat and back angle
- Adjustable seat depth (seat slider)
- Adjustable weight tension
- Adjustable headrest

- Lockable incline, fold-back armrests
- Back made of metal construction
- Independent back angle adjustment
- Moulded seat and back foam
- Synchron mechanism with 3 locking positions

- 750mm black aluminum 6 star base
- Brake castors
- Available in black automotive leather only
- Suitable for indoor use only




\* Style rated multi shift use 230KG

# GIBBS RANGE

## INSTRUCTION OF USE

INDOOR USE ONLY



Use soft tyred castors for tiles  
Use hard tyred castors for carpet

**X** Do not use as a step ladder

## DIMENSIONS: (mm)

| BACK   | BACK TO FLOOR |
|--------|---------------|
| W: 490 | Lowest: 990   |
| H: 560 | Highest: 1090 |

| BACK   | BACK TO FLOOR |
|--------|---------------|
| W: 490 | Lowest: 990   |
| H: 560 | Highest: 1090 |

| SEAT   | SEAT TO FLOOR |
|--------|---------------|
| W: 500 | Lowest: 460   |
| D: 510 | Highest: 560  |

| SEAT   | SEAT TO FLOOR | ARM TO FLOOR |
|--------|---------------|--------------|
| W: 500 | Lowest: 460   | Lowest: 650  |
| D: 510 | Highest: 560  | Highest: 835 |



GIBBS



Side view



Back view

#### Features:

Adjustable seat height

Adjustable seat and back angle

Adjustable weight tension

2-Way adjustable arms

Lumbar support

Butterfly mechanism

700mm black nylon 5 star base

Available in black only

Suitable for indoor use only



4  
Year



120  
Kilogram




IMPORTED

# DRAFT RANGE

## INSTRUCTION OF USE

INDOOR USE ONLY



## DIMENSIONS: (mm)

**BACK**  
W: 480  
H: 520

**BACK TO FLOOR**  
Lowest: 950  
Highest: 1035

**SEAT**  
W: 500  
D: 520

**SEAT TO FLOOR**  
Lowest: 460  
Highest: 545

**ARM TO FLOOR**  
Lowest: 655  
Highest: 810



DRAFT



Side view



Back view

#### Features:

Adjustable seat height

Adjustable seat and back angle

Adjustable seat depth (seat slider)

Adjustable arms

Adjustable lumbar

Auto weight tensioning

Synchron mechanism with 3 locking positions

640mm black nylon 5 star base


Available in black only

Suitable for indoor use only



# BOLT RANGE

## INSTRUCTION OF USE



**X** Do not use as a step ladder

## DIMENSIONS: (mm)

| BACK   | BACK TO FLOOR |
|--------|---------------|
| W: 440 | Lowest: 940   |
| H: 510 | Highest: 1140 |

| HEADREST | HEADREST TO FLOOR |
|----------|-------------------|
| W: 250   | Lowest: 1130      |
| H: 170   | Highest: 1260     |

| SEAT   | SEAT TO FLOOR |
|--------|---------------|
| W: 500 | Lowest: 430   |
| D: 495 | Highest: 530  |

| ARM TO FLOOR |
|--------------|
| Lowest: 595  |
| Highest: 750 |

\*Please note that the Headrest should not be used to manoeuvre the chair.



BOLT-H



BOLT-L

#### Features:

Adjustable seat height

Adjustable seat and back angle

Adjustable seat depth (seat slider)

Adjustable arms

Adjustable lumbar support

Auto weight tensioning

Synchron mechanism with 3 locking positions

670mm black nylon 5 star base


Available in black only

Suitable for indoor use only



# MIAMI RANGE

## INSTRUCTION OF USE



INDOOR USE ONLY

**✗** Do not use as a step ladder

### DIMENSIONS: (mm)

**BACK BACK TO FLOOR**  
W: 500 Lowest: 1025  
H: 585 Highest: 1100

**HEADREST**  
W: 300  
H: 150

**HEADREST TO FLOOR**  
Lowest: 1095  
Highest: 1270

**SEAT**  
W: 520  
D: 500

**SEAT TO FLOOR**  
Lowest: 465  
Highest: 550

**ARM TO FLOOR**  
Lowest: 660  
Highest: 745

\*Please note that the Headrest should not be used to manoeuvre the chair.



MIAMI-H



MIAMI-L



Back view

#### Features:

Adjustable seat height

Adjustable seat and back angle

Adjustable seat depth (seat slider)

Active lumbar

Adjustable arms

Auto weight tensioning

Synchron mechanism with 3 locking positions

650mm black nylon 5 star base


Available in black only

Suitable for indoor use only



# BRAGG RANGE

## INSTRUCTION OF USE



### 640MM BLACK HIGH ARCH 5 STAR BASE WITH CASTORS

Use soft tyred castors for tiles  
Use hard tyred castors for carpet

**✗** Do not use as a step ladder

### DIMENSIONS: (mm)

| BACK   | BACK TO FLOOR |
|--------|---------------|
| W: 470 | Lowest: 1075  |
| H: 650 | Highest: 1150 |

| HEADREST |
|----------|
| W: 320   |
| H: 190   |

| HEADREST TO FLOOR |
|-------------------|
| Lowest: 1210      |
| Highest: 1370     |

| SEAT   | SEAT TO FLOOR |
|--------|---------------|
| W: 510 | Lowest: 495   |
| D: 510 | Highest: 570  |

| ARM TO FLOOR |
|--------------|
| Lowest: 660  |
| Highest: 810 |

\* Please note that the Headrest should not be used to manoeuvre the chair.



BRAGG-H



BRAGG-L



Back view

#### Features:

Adjustable seat height

Adjustable seat and back angle

Adjustable seat depth (seat slider)

Adjustable arms

Auto weight tensioning

Synchron mechanism with 3 locking positions

640mm black high arch 5 star base

Available in black only

Suitable for indoor use only



# KUBE RANGE

## INSTRUCTION OF USE

INDOOR USE ONLY



**X** Do not use as a step ladder

### DIMENSIONS: (mm)

| BACK   | BACK TO FLOOR |
|--------|---------------|
| W: 470 | Lowest: 1010  |
| H: 590 | Highest: 1090 |

| HEADREST | HEADREST TO FLOOR |
|----------|-------------------|
| W: 360   | Lowest: 1190      |
| H: 170   | Highest: 1260     |

| SEAT   | SEAT TO FLOOR |
|--------|---------------|
| W: 490 | Lowest: 450   |
| D: 490 | Highest: 530  |

| ARM TO FLOOR |
|--------------|
| Lowest: 640  |
| Highest: 775 |

\*Please note that the Headrest should not be used to manoeuvre the chair.



KUBE-H



KUBE-L

#### Features:

Adjustable seat height

Adjustable seat and back angle

Adjustable seat depth (seat slider)

Adjustable weight tension

Adjustable lumbar

3-Way adjustable arms

Synchron mechanism with 3 locking positions

670mm black nylon 5 star base

Available in black only

BIFMA tested


Suitable for indoor use only



# RAZOR RANGE

## INSTRUCTION OF USE

INDOOR USE ONLY



**X** Do not use as a step ladder

## DIMENSIONS: (mm)

|             |                      |
|-------------|----------------------|
| <b>BACK</b> | <b>BACK TO FLOOR</b> |
| W: 510      | Lowest: 1180         |
| H: 710      | Highest: 1240        |

|             |                      |
|-------------|----------------------|
| <b>SEAT</b> | <b>SEAT TO FLOOR</b> |
| W: 500      | Lowest: 470          |
| D: 505      | Highest: 530         |

|                     |
|---------------------|
| <b>ARM TO FLOOR</b> |
| Lowest: 680         |
| Highest: 745        |

\*Please note that the Headrest should not be used to manoeuvre the chair.



RAZOR



Side view



Back view

## Features:

Adjustable seat height

Adjustable seat and back angle

Adjustable seat depth (seat slider)

Adjustable lumbar

Adjustable arms

Auto weight tensioning

Big boy seat

**Memory seat foam**

Synchron mechanism with 3 locking positions

645mm black nylon 5 star base


Available in black only

Suitable for indoor use only



# MITZ RANGE

## INSTRUCTION OF USE



## DIMENSIONS: (mm)

| BACK   | BACK TO FLOOR |
|--------|---------------|
| W: 520 | Lowest: 1060  |
| H: 570 | Highest: 1180 |

| HEADREST | HEADREST TO FLOOR |
|----------|-------------------|
| W: 320   | Lowest: 1210      |
| H: 150   | Highest: 1330     |

| SEAT   | SEAT TO FLOOR |
|--------|---------------|
| W: 515 | Lowest: 470   |
| D: 480 | Highest: 590  |

| ARM TO FLOOR |
|--------------|
| Lowest: 645  |
| Highest: 720 |

\*Please note that the Headrest should not be used to manoeuvre the chair.



MITZ-H



MITZ-L



Back view

## Features:

Adjustable seat height

Adjustable seat and back angle

Adjustable seat depth (seat slider)

Adjustable lumbar

Adjustable arms

Auto weight tensioning

Big boy seat

**Memory seat foam**

Synchron mechanism with 3 locking positions

645mm black nylon 5 star base

Available in black only

Suitable for indoor use only



# IVORY RANGE

## INSTRUCTION OF USE

3-WAY ADJUSTABLE ARMS


RIGHT LEVER  
To adjust seat height

620MM GREY NYLON BASE  
WITH CASTORS

Use soft tyred castors for tiles  
Use hard tyred castors for carpet

OPTIONAL  
ADJUSTABLE  
HEADREST

INDOOR USE ONLY



### INNER LEFT LEVER

To adjust seat depth  
(seat slider)

### LEFT LEVER

To adjust seat  
and back angle

**X** Do not use as a step ladder

### DIMENSIONS: (mm)

| BACK   | BACK TO FLOOR |
|--------|---------------|
| W: 470 | Lowest: 1060  |
| H: 650 | Highest: 1150 |

| HEADREST |
|----------|
| W: 320   |
| H: 190   |

| HEADREST TO FLOOR |
|-------------------|
| Lowest: 1075      |
| Highest: 1325     |

| SEAT   | SEAT TO FLOOR |
|--------|---------------|
| W: 510 | Lowest: 485   |
| D: 510 | Highest: 575  |

| ARM TO FLOOR |
|--------------|
| Lowest: 655  |
| Highest: 820 |

\*Please note that the Headrest should not be used to manoeuvre the chair.



IVORY-H



IVORY-L



Back view

#### Features:

Adjustable seat height

Adjustable seat and back angle

Adjustable seat depth (seat slider)

3-Way adjustable arms

Auto weight tensioning

Synchron mechanism with 3 locking positions

620mm grey nylon 5 star base

Available in grey only


Suitable for indoor use only



# BAXTER RANGE

## INSTRUCTION OF USE

INDOOR USE ONLY



## DIMENSIONS: (mm)

**BACK**   **BACK TO FLOOR**  
W: 475   Lowest: 1025  
H: 585   Highest: 1120

**HEADREST**  
W: 330  
H: 200

**HEADREST TO FLOOR**  
Lowest: 1130  
Highest: 1385

**SEAT**   **SEAT TO FLOOR**  
W: 500   Lowest: 470  
D: 510   Highest: 565

**ARM TO FLOOR**  
Lowest: 670  
Highest: 830

\*Please note that the Headrest should not be used to manoeuvre the chair.



BAXTER-H



BAXTER-L

### Features:

Adjustable seat height

Adjustable seat and back angle

Adjustable seat depth (seat slider)

Adjustable weight tension

Adjustable lumbar

3-Way adjustable arms

Synchron mechanism with 3 locking positions

700mm aluminium 5 star base

Available in black only


BIFMA tested

Suitable for indoor use only



# EVITA RANGE

## INSTRUCTION OF USE



**✗** Do not use as a step ladder

### DIMENSIONS: (mm)

| BACK   | BACK TO FLOOR | HEADREST | HEADREST TO FLOOR | SEAT   | SEAT TO FLOOR | ARM TO FLOOR |
|--------|---------------|----------|-------------------|--------|---------------|--------------|
| W: 415 | Lowest: 1005  | W: 340   | Lowest: 1225      | W: 490 | Lowest: 490   | Lowest: 640  |
| H: 560 | Highest: 1125 | H: 180   | Highest: 1380     | D: 460 | Highest: 610  | Highest: 825 |

\*Please note that the Headrest should not be used to manoeuvre the chair.



EVITA-H



EVITA-L



Back view

## Features:

Adjustable seat height

Adjustable seat and back angle

Adjustable seat depth (seat slider)

Adjustable weight tension

Adjustable lumbar

2-Way adjustable arms

Moulded seat foam

Korean mesh back

Synchron mechanism with 3 locking positions

700mm aluminium 5 star base

Available in black only

BIFMA tested

Suitable for indoor use only



# ZODIAC RANGE

## INSTRUCTION OF USE

To adjust back height hold back with two hands while seated and raise to desired height

To lower the back height raise back all the way to the top and release slowly


**ADJUSTABLE ARMS**

**RIGHT LEVER**

To adjust seat height

**700MM ALUMINIUM 5 STAR BASE  
WITH CASTORS**

Use soft tyred castors for tiles  
Use hard tyred castors for carpet



**✗** Do not use as a step ladder

## DIMENSIONS: (mm)

| BACK   | BACK TO FLOOR |
|--------|---------------|
| W: 455 | Lowest: 990   |
| H: 550 | Highest: 1150 |

| HEADREST | HEADREST TO FLOOR |
|----------|-------------------|
| W: 380   | Lowest: 1140      |
| H: 180   | Highest: 1350     |

| SEAT   | SEAT TO FLOOR |
|--------|---------------|
| W: 500 | Lowest: 515   |
| D: 490 | Highest: 610  |

| ARM TO FLOOR |
|--------------|
| Lowest: 670  |
| Highest: 840 |

\*Please note that the Headrest should not be used to manoeuvre the chair.



ZODIAC-H



ZODIAC-L



## Features:

Adjustable seat height cable controlled  
Adjustable back height (ratchet)  
Adjustable seat and back angle cable controlled  
Adjustable seat depth (seat slider) cable controlled  
Adjustable weight tension

2-Way adjustable arms  
Synchron mechanism with 3 locking positions  
700mm aluminium 5 star base  
Available in black only  
BIFMA tested  
Suitable for indoor use only



# ERGO-1 RANGE

## INSTRUCTION OF USE

To adjust back height hold back with two hands while seated and raise to desired height

To lower the back height raise back all the way to the top and release slowly

### RIGHT BACK LEVER

To adjust seat depth (seat slider)

### RIGHT FRONT LEVER


To adjust seat height

### RIGHT KNOB

To adjust weight tension

### 700MM ALUMINIUM 5 STAR BASE WITH CASTORS

Use soft tyred castors for tiles  
Use hard tyred castors for carpet



## DIMENSIONS: (mm)

| BACK   | BACK TO FLOOR |
|--------|---------------|
| W: 530 | Lowest: 1110  |
| H: 640 | Highest: 1190 |

| HEADREST |
|----------|
| W: 300   |
| H: 180   |

| HEADREST TO FLOOR |
|-------------------|
| Lowest: 1245      |
| Highest: 1400     |

| SEAT   | SEAT TO FLOOR |
|--------|---------------|
| W: 520 | Lowest: 500   |
| D: 500 | Highest: 590  |

| ARM TO FLOOR |
|--------------|
| Lowest: 660  |
| Highest: 820 |

\* Please note that the Headrest should not be used to manoeuvre the chair.



ERGO-1H



ERGO-1L



Back view

## Features:

Adjustable seat height cable controlled  
Adjustable back height (ratchet)  
Adjustable seat and back angle cable controlled  
Adjustable seat depth (seat slider) cable controlled  
Adjustable weight tension  
Adjustable active lumbar


2-Way adjustable arms  
Synchron mechanism with 3 locking positions  
700mm aluminium 5 star base  
Available in black only  
BIFMA tested  
Suitable for indoor use only



# HILTON RANGE

## INSTRUCTION OF USE

INDOOR USE ONLY



**✗** Do not use as a step ladder

## DIMENSIONS: (mm)

| LOW BACK | BACK TO FLOOR |
|----------|---------------|
| W: 420   | Lowest: 980   |
| H: 500   | Highest: 1070 |

| HIGH BACK | BACK TO FLOOR |
|-----------|---------------|
| W: 420    | Lowest: 1110  |
| H: 660    | Highest: 1200 |

| SEAT   | SEAT TO FLOOR | ARM TO FLOOR |
|--------|---------------|--------------|
| W: 510 | Lowest: 480   | Lowest: 660  |
| D: 510 | Highest: 570  | Highest: 830 |



HILTON-H



HILTON-L

#### Features:

Adjustable seat height

Adjustable seat and back angle

Adjustable weight tension

Adjustable arms

Synchron mechanism with 3 locking positions

700mm large black nylon 5 star base

**HILTON-VC**

Black metal frame

Available in black PU only

Suitable for indoor use only




Available in black PU only

Suitable for indoor use

# CRUZ RANGE

## INSTRUCTION OF USE

INDOOR USE ONLY



**✗** Do not use as a step ladder

## DIMENSIONS: (mm)

| LOW BACK | BACK TO FLOOR |
|----------|---------------|
| W: 560   | Lowest: 980   |
| H: 515   | Highest: 1055 |

| HIGH BACK | BACK TO FLOOR |
|-----------|---------------|
| W: 560    | Lowest: 1150  |
| H: 680    | Highest: 1225 |

| SEAT   | SEAT TO FLOOR |
|--------|---------------|
| W: 520 | Lowest: 485   |
| D: 560 | Highest: 560  |

| ARM TO FLOOR |
|--------------|
| Lowest: 680  |
| Highest: 755 |



CRUZ-H



CRUZ-L

#### Features:

Adjustable seat height

Adjustable seat and back angle

Adjustable weight tension

Fixed chrome arms

Knee tilt mechanism with 3 locking positions

700mm aluminium 5 star base

Available in black PU only  
Suitable for indoor use only




Back view

# BOSTON RANGE

## INSTRUCTION OF USE

INDOOR USE ONLY



**✗** Do not use as a step ladder

## DIMENSIONS: (mm)

| LOW BACK | BACK TO FLOOR |
|----------|---------------|
| W: 480   | Lowest: 1025  |
| H: 580   | Highest: 1085 |

| HIGH BACK | BACK TO FLOOR |
|-----------|---------------|
| W: 500    | Lowest: 1170  |
| H: 720    | Highest: 1230 |

| SEAT   | SEAT TO FLOOR | ARM TO FLOOR |
|--------|---------------|--------------|
| W: 510 | Lowest: 455   | Lowest: 640  |
| D: 520 | Highest: 515  | Highest: 770 |



BOSTON-H



BOSTON-L



**BOSTON-VC**

Chrome frame  
High density foam  
Available in black PU only  
Suitable for indoor use only

#### Features:

Adjustable seat height  
Adjustable seat and back angle  
Adjustable weight tension  
Adjustable aluminium arms

High density foam  
Synchron mechanism with 3 locking positions  
700mm aluminium 5 star base


Available in black PU only  
Suitable for indoor use only



# CAMRY RANGE

## INSTRUCTION OF USE

INDOOR USE ONLY



**X** Do not use as a step ladder

## DIMENSIONS: (mm)

| LOW BACK | BACK TO FLOOR |
|----------|---------------|
| W: 500   | Lowest: 1045  |
| H: 570   | Highest: 1125 |

| HIGH BACK | BACK TO FLOOR |
|-----------|---------------|
| W: 500    | Lowest: 1190  |
| H: 730    | Highest: 1270 |

| SEAT   | SEAT TO FLOOR |
|--------|---------------|
| W: 510 | Lowest: 510   |
| D: 530 | Highest: 590  |


| ARM TO FLOOR |
|--------------|
| Lowest: 710  |
| Highest: 790 |



CAMRY-H



CAMRY-L



CAMRY-VC

Chrome frame  
High density foam  
Available in black PU only  
Suitable for indoor use only



#### Features:

Adjustable seat height

Adjustable seat and back angle

Adjustable weight tension

Fixed aluminium arms

High density foam

Knee tilt mechanism with 3 locking positions

700mm aluminium 5 star base

Available in black PU only

Suitable for indoor use only

# SIENA RANGE

## INSTRUCTION OF USE

INDOOR USE ONLY


**ADJUSTABLE ARMS**

**RIGHT KNOB**  
To adjust weight tension

**INNER RIGHT LEVER**  
To adjust seat height

**700MM BLACK ALUMINIUM  
5 STAR BASE WITH CASTORS**

Use soft tyred castors for tiles  
Use hard tyred castors for carpet



**✗** Do not use as a step ladder

## DIMENSIONS: (mm)

| LOW BACK | BACK TO FLOOR |
|----------|---------------|
| W: 460   | Lowest: 995   |
| H: 550   | Highest: 1095 |

| HIGH BACK | BACK TO FLOOR |
|-----------|---------------|
| W: 460    | Lowest: 1130  |
| H: 685    | Highest: 1230 |

| SEAT   | SEAT TO FLOOR |
|--------|---------------|
| W: 510 | Lowest: 480   |
| D: 490 | Highest: 580  |

| ARM TO FLOOR |
|--------------|
| Lowest: 650  |
| Highest: 840 |



SIENA-H



SIENA-L



Back view

#### Features:

Adjustable seat height

Adjustable seat and back angle

Adjustable seat depth (seat slider)

Adjustable weight tension

Adjustable arm

Saddle seat

Ribbed back

Synchron mechanism with 3 locking positions

700mm black aluminium 5 star base

Available in black PU only


Suitable for indoor use only



# SELECT RANGE

## INSTRUCTION OF USE

INDOOR USE ONLY



Use soft tyred castors for tiles  
Use hard tyred castors for carpet

**X** Do not use as a step ladder

## DIMENSIONS: (mm)

| LOW BACK | BACK TO FLOOR |
|----------|---------------|
| W: 470   | Lowest: 910   |
| H: 500   | Highest: 990  |

| HIGH BACK | BACK TO FLOOR |
|-----------|---------------|
| W: 470    | Lowest: 1080  |
| H: 670    | Highest: 1160 |

| SEAT   | SEAT TO FLOOR |
|--------|---------------|
| W: 500 | Lowest: 450   |
| D: 500 | Highest: 530  |

| ARM TO FLOOR |
|--------------|
| Lowest: 650  |
| Highest: 730 |



SELECT-H



SELECT-L

#### Features:

Adjustable seat height

Adjustable seat and back angle

Adjustable weight tension

Fixed alloy arms

Knee tilt mechanism with 4 locking positions

700mm alloy 5 star base

Available in leather only

Suitable for indoor use only



Back view



# MAGNUM RANGE

## INSTRUCTION OF USE

INDOOR USE ONLY


**FIXED ALUMINIUM ARMS**

**RIGHT LEVER**

To adjust seat height

**700MM ALUMINIUM 5 STAR BASE  
WITH CASTORS**

Use soft tyred castors for tiles  
Use hard tyred castors for carpet



**LEFT LEVER**

To adjust seat and back angle

**FRONT KNOB**

To adjust weight tension

**✗** Do not use as a step ladder

## DIMENSIONS: (mm)

| LOW BACK | BACK TO FLOOR |
|----------|---------------|
| W: 560   | Lowest: 1000  |
| H: 565   | Highest: 1070 |

| HIGH BACK | BACK TO FLOOR |
|-----------|---------------|
| W: 560    | Lowest: 1210  |
| H: 800    | Highest: 1275 |

| SEAT   | SEAT TO FLOOR |
|--------|---------------|
| W: 550 | Lowest: 450   |
| D: 500 | Highest: 510  |

| ARM TO FLOOR |
|--------------|
| Lowest: 660  |
| Highest: 730 |



MAGNUM-H



MAGNUM-L

#### Features:

Adjustable seat height

Adjustable seat and back angle

Adjustable weight tension

Fixed aluminium arms

Moulded seat and back foam

Knee tilt mechanism with 3 locking positions

700mm aluminium 5 star base

Extremely comfortable



Back view




Available in black leather only  
Suitable for indoor use only

# CAPTAIN RANGE

## INSTRUCTION OF USE

INDOOR USE ONLY



### 700MM ALUMINIUM 5 STAR BASE WITH CASTORS

Use soft tyred castors for tiles  
Use hard tyred castors for carpet

#### LEFT KNOB

To adjust seat and back angle

#### LEFT INNER LEVER

To adjust seat depth  
(Seat slider)

**✗** Do not use as a step ladder

### DIMENSIONS: (mm)

| LOW BACK | BACK TO FLOOR |
|----------|---------------|
| W: 550   | Lowest: 970   |
| H: 510   | Highest: 1030 |

| HIGH BACK | BACK TO FLOOR |
|-----------|---------------|
| W: 550    | Lowest: 1150  |
| H: 700    | Highest: 1210 |

| SEAT   | SEAT TO FLOOR | ARM TO FLOOR |
|--------|---------------|--------------|
| W: 570 | Lowest: 470   | Lowest: 640  |
| D: 510 | Highest: 530  | Highest: 700 |



CAPTAIN-H



CAPTAIN-L

### Features:

Adjustable seat height

Adjustable seat and back angle

Adjustable weight tension

Adjustable seat depth (seat slider)

Synchron mechanism with 3 locking positions

700mm aluminium 5 star base

Extremely comfortable

Available in black leather only

Suitable for indoor use only



Back view



## FOCUS RANGE



FOC-1



FOC-1A

---

### DIMENSIONS: (mm)

| BACK   | SEAT   | OVERALL          |
|--------|--------|------------------|
| W: 490 | W: 465 | H: 840           |
| H: 435 | D: 440 | D: 550<br>W: 525 |

| ARM WIDTH  | TABLET ARM |
|------------|------------|
| Inner: 510 | W: 610     |
| Outer: 610 | D: 660     |

| ARM TO FLOOR | TABLET ARM TO FLOOR     |
|--------------|-------------------------|
| H: 680       | H: 745<br>Flip up: 1010 |



FOC-1TR



FOC-1TL



Trolley available

#### Features:

Multi purpose stackable client chair  
Not stackable with tablet arms  
Optional black metal trolley  
Linkable except with arms or tablet arm

Fully strengthened plastic back shell  
Fully welded frame  
BIFMA drop tested

Available in black only  
Suitable for indoor use only  
Do not use as a step ladder



## ARIA RANGE



ARIA



ARIA-A



ARIA-T

### DIMENSIONS: (mm)

| BACK             | SEAT             | OVERALL                    | ARM WIDTH                | ARM TO FLOOR | TABLET ARM       | TABLET ARM TO FLOOR |
|------------------|------------------|----------------------------|--------------------------|--------------|------------------|---------------------|
| W: 475<br>H: 395 | W: 475<br>D: 470 | H: 850<br>D: 515<br>W: 620 | Inner: 525<br>Outer: 600 | H: 655       | W: 380<br>D: 270 | H: 735              |

### Features:

Stackable

Not stackable with arms or tablet arm

Optional black metal trolley

Linkable without arms or tablet arm

Metal frame

Available in black only

Suitable for indoor use only

Do not use as a step ladder

## POD RANGE



POD-SB



POD-SBA



POD-SBT



### Features:

Stackable

Not stackable with arm or tablet arm

Optional black metal trolley

### DIMENSIONS: (mm)

| BACK             | SEAT             | OVERALL                    | ARM WIDTH                | ARM TO FLOOR | TABLET ARM       | TABLET ARM TO FLOOR    |
|------------------|------------------|----------------------------|--------------------------|--------------|------------------|------------------------|
| W: 420<br>H: 380 | W: 425<br>D: 400 | H: 830<br>D: 530<br>W: 480 | Inner: 440<br>Outer: 540 | H: 670       | W: 380<br>D: 280 | H: 710<br>Flip up: 990 |

Linkable except with arms or tablet arm  
Plastic under pan  
Available in black only

Suitable for indoor use only  
Do not use as a step ladder

## VINN RANGE



VINN-B



VINN-BA



VINN-BT

---

### DIMENSIONS: (mm)

| BACK   | SEAT   | OVERALL         |
|--------|--------|-----------------|
| W: 435 | W: 455 | H: 830          |
| H: 390 | D: 435 | D: 545<br>W:530 |

| ARM WIDTH  | ARM TO FLOOR |
|------------|--------------|
| Inner: 485 | H: 665       |
| Outer: 570 |              |

| TABLET ARM | TABLET ARM TO FLOOR |
|------------|---------------------|
| W: 380     | H: 695              |
| D: 290     | Flip up: 900        |



VINN-MB



VINN-MBA



VINN-MBT



Trolley available

#### Features:

Stackable

Not stackable with tablet arms

Optional black metal trolley

Linkable except with arms or tablet arm

Plastic under pan

Solid steel sled base frame

Available in black only

Suitable for indoor use only

Do not use as a step ladder



# NEO RANGE



NEO



Side view



Back view

## Features:

Stackable  
Square tube  
Mesh back  
Padded seat

Black metal frame  
Available in black only  
Suitable for indoor use only  
Do not use as a step ladder

## DIMENSIONS: (mm)

| BACK   | SEAT   | SEAT TO FLOOR | OVERALL |
|--------|--------|---------------|---------|
| W: 450 | W: 415 | H: 450        | H: 830  |
| H: 400 | D: 450 |               | D: 500  |



## ROSE RANGE



ROSE



Side view



Back view

### Features:

Soft padding  
Polyurethane arm pads  
Chrome finish  
Fully welded frame

Available in black PU only  
Suitable for indoor use only  
Do not use as a step ladder

### DIMENSIONS: (mm)

| BACK   | SEAT   | SEAT TO FLOOR | ARM TO FLOOR | OVERALL |
|--------|--------|---------------|--------------|---------|
| W: 470 | W: 500 | H: 500        | H: 700       | H: 940  |
| H: 470 | D: 450 |               |              | D: 550  |

W: 570



# RAVEN RANGE



RAVEN-C



Side view



Back view

## Features:

Fully upholstered  
High density foam  
Sled base chrome frame  
Plywood shell

Available in Sega charcoal only  
Suitable for indoor use only  
Do not use as a step ladder

## DIMENSIONS: (mm)

| BACK   | SEAT   | SEAT TO FLOOR |
|--------|--------|---------------|
| W: 450 | W: 470 | H: 455        |
| H: 400 | D: 410 |               |



OVERALL  
H: 855  
D: 500  
W: 590

## MIA RANGE



MIA



MIA-A



MIA-A  
Side view

### Features:

Fully upholstered  
High density foam  
Sled black frame  
Plywood shell

Available in black PU only  
Suitable for indoor use only  
Do not use as a step ladder

### DIMENSIONS: (mm)

| BACK   | SEAT   | SEAT TO FLOOR | OVERALL |
|--------|--------|---------------|---------|
| W: 480 | W: 550 | H: 455        | H: 845  |
| H: 390 | D: 480 |               | D: 550  |
|        |        |               | W: 480  |



# TONIC RANGE



TONIC-C



Side view



Back view

## Features:

Fully upholstered  
High density seat foam  
Moulded back foam  
Solid rod Sled base chrome frame

Available in Sega charcoal only  
Suitable for indoor use only  
Do not use as a step ladder

## DIMENSIONS: (mm)

|              |             |                      |
|--------------|-------------|----------------------|
| <b>SHELL</b> | <b>SEAT</b> | <b>SEAT TO FLOOR</b> |
| W: 640       | W: 475      | H: 450               |
| H: 390       | D: 490      |                      |



|                |
|----------------|
| <b>OVERALL</b> |
| H: 755         |
| D: 500         |
| W: 590         |

# OSCAR RANGE



OSCAR-C



Side view



Back view

## Features:

High density foam  
Sled base chrome frame  
Plywood shell

Available in Sega charcoal only  
Suitable for indoor use only  
Do not use as a step ladder

## DIMENSIONS: (mm)

**SHELL**  
W: 650  
H: 400

**SEAT**  
W: 580  
D: 450

**SEAT TO FLOOR**  
H: 500

**OVERALL**  
H: 820  
D: 500  
W: 590



## RAM RANGE



RAM



Front view



Back view

### Features:

Fully upholstered  
High density foam  
Plywood structure

Available in black PU only  
Suitable for indoor use only  
Do not use as a step ladder

### DIMENSIONS: (mm)

| OVERALL | SEAT   | SEAT TO FLOOR |
|---------|--------|---------------|
| H: 690  | W: 500 | H: 370        |
| D: 740  | D: 500 |               |
|         | W: 760 |               |



# NOX RANGE



NOX



Front view



Back view

## Features:

Fully upholstered  
High density foam  
Plywood structure

Available in black PU only  
Suitable for indoor use only  
Do not use as a step ladder

## DIMENSIONS: (mm)

| OVERALL | SEAT   | SEAT TO FLOOR |
|---------|--------|---------------|
| H: 665  | W: 500 | H: 325        |
| D: 735  | D: 500 |               |
| W: 730  |        |               |



# BLITZ RANGE



BLITZ-B



Side view



Back view

## Features:

High density foam  
Zig zag steel spring  
Plywood frame  
Chrome feet

Available in black PU  
Suitable for indoor use only  
Do not use as a step ladder

## DIMENSIONS: (mm)

| BACK             | SEAT             | SEAT TO FLOOR | OVERALL                    |
|------------------|------------------|---------------|----------------------------|
| W: 600<br>H: 350 | W: 610<br>D: 525 | H: 410        | H: 750<br>D: 750<br>W: 560 |



# RIVET RANGE



RIVET-1



Front view



Back view

## Features:

High density foam  
Stainless steel frame  
Solid timber inner frame

Available in black PU only  
Suitable for indoor use only  
Do not use as a step ladder

## DIMENSIONS: (mm)

|          |               |
|----------|---------------|
| RIVET-1  | ARM TO FLOOR  |
| W: 650mm | 630mm         |
| H: 810mm | SEAT TO FLOOR |
| D: 690mm | 435mm         |



# JADEN RANGE

WEIGHT LIMIT  
**260**  
Kilogram



JADEN-2

WEIGHT LIMIT  
**130**  
Kilogram



JADEN-1



Back view

## Features:

High density foam  
Stainless steel frame  
Solid timber inner frame

Available in black PU only  
Suitable for indoor use only  
Do not use as a step ladder



## DIMENSIONS: (mm)

### JADEN-1

W: 730mm

H: 810mm

D: 730mm

### JADEN-2

W: 1390mm

H: 810mm

D: 730mm

### ARM TO FLOOR

630mm

SEAT TO FLOOR

450mm

## PLAZA RANGE



PL-3



PL-2



PL-1

### Features:

Pocket spring seat

Loose cushions upholstered both sides

Zig zag steel spring

Webbed base

Solid hardwood frame

Stainless steel feet

Available in black PU only

Suitable for indoor use only

### DIMENSIONS: (mm)

PL-1

W: 835mm  
H: 740mm  
D: 790mm

PL-2

W: 1400mm  
H: 740mm  
D: 790mm

PL-3

W: 1970mm  
H: 740mm  
D: 790mm

### ARM TO FLOOR


655mm  
475mm

### SEAT TO FLOOR



# STATE RANGE


## INSTRUCTION OF USE



**BACK LEVER**  
To adjust back angle

**FRONT LEVER**  
To adjust seat height

**600MM BLACK NYLON  
5 STAR BASE WITH CASTORS**  
Keep a permanent contact  
between base of chair and floor



**BACK KNOB**  
To adjust  
back height

**✗** Do not use as a step ladder

## DIMENSIONS: (mm)

| ST001<br>SEAT | SEAT TO FLOOR | BACK TO FLOOR |
|---------------|---------------|---------------|
| DI: 330       | Lowest: 415   | Lowest: 550   |
|               | Highest: 555  | Highest: 690  |

| ST007<br>SEAT | SEAT TO FLOOR |
|---------------|---------------|
| W: 460        | Lowest: 440   |
| D: 410        | Highest: 580  |

| ST007<br>BACK | BACK TO FLOOR |
|---------------|---------------|
| W: 405        | Lowest: 710   |
| H: 310        | Highest: 990  |

| ST008<br>SEAT | SEAT TO FLOOR |
|---------------|---------------|
| DI: 340       | Lowest: 410   |
|               | Highest: 550  |



ST001



ST007



ST008

## Features:

Adjustable seat height

Adjustable back height (ST007 only)

Adjustable seat angle (ST007 only)

Optional glides or brake castors

600mm black nylon 5 star base

Available in black only

Suitable for indoor use only

Do not use as a step ladder



120  
Kilogram



Optional drafting kit

# CAD RANGE

## INSTRUCTION OF USE



CAD

### Features:

Adjustable seat height

Adjustable seat angle


Optional glides or brake castors

Saddle seat

640mm black nylon 5 star base

Available in black PU only

Do not use as a step ladder



Optional drafting kit

### **DIMENSIONS: (mm)**

#### **SEAT**

W: 390

D: 410

#### **SEAT TO FLOOR**

Lowest: 530

Highest: 640



# STAGE RANGE




STAGE

## Features:

Adjustable seat height  
Adjustable back height  
Adjustable seat and back angle  
Optional glides or brake castors

Saddle seat  
640mm black nylon 5 star base  
Available in black PU only  
Do not use as a step ladder

## INSTRUCTION OF USE



Optional drafting kit

## DIMENSIONS: (mm)

| BACK   | BACK TO FLOOR |
|--------|---------------|
| W: 430 | Lowest: 875   |
| H: 340 | Highest: 985  |
| SEAT   | SEAT TO FLOOR |
| W: 390 | Lowest: 530   |
| D: 410 | Highest: 640  |

Style Xpress is a division of Style Ergonomics Australia Pty Ltd, all products offered under this new marketing entity will be stocked in all four Style warehouses (NSW, VIC, QLD, WA). The Style Xpress range will include products from the current core range and also new ranges that Style had developed to suit our local market.

The Style Xpress range will be delivered to dealer warehouses in Metro areas in each city and to transport companies within 2-4 working days, customers will have the option of assembled or boxed at no charge. Naturally, this focus on an express Style range is designed with the intention to cater to your time sensitive clients and those products are available for express delivery on demand. A drop ship programme will also be introduced, details will be sent separately.

The Style Xpress brand will have a printed brochure, printed price list, electronic copies, electronic marketing materials, an online brochure and a dedicated web site ([www.stylexpress.com.au](http://www.stylexpress.com.au)).

Processing of orders, correspondence and invoicing will remain the same as always, through Style Ergonomics Australia Pty Ltd. Style Xpress is purely a marketing entity.

#### **NSW BRANCH**

**A:** 83-85 Percival Road,  
Smithfield 2164



#### **VIC BRANCH**

**A:** 21-23 Edison Rd,  
Dandenong South 3175



#### **QLD BRANCH**

**A:** 3 Aliciajay Circuit,  
Luscombe 4207



#### **WA BRANCH**

**A:** 22 Da Vinci Way,  
Forrestdale 6112

